

Market Domain Data Lookup tables
SP Distribution
Effective from 1 April 2008

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
DOMESTIC										
100	1	T01	Domestic single rate credit	93.500.501.801.802	393	1	24 hours			
101	1	T01	Domestic single rate prepayment	510.511.720 835.838.840	393	1	24 hours			
110	1	T02	CPC General, credit	500.501	393	1	24 hours			
111	1	T02	CPC General, PPM	510.511.720	393	1	24 hours			
112	2	T03	CPC Heating, Credit	640.642	753	13013	dynamic control			
				644.646	755	13016	dynamic control			
				648.650	757	13019	dynamic control			
				652.654	759	13022	dynamic control			
				656.658	761	13025	dynamic control			
				660.662	763	13028	dynamic control			
				664.666	765	13004	dynamic control			
				668.670	767	13007	dynamic control			
672.674	769	13010	dynamic control							
113	2	T03	CPC Heating, PPM	641.643.722	753	13013	dynamic control			
				645.647.722	755	13016	dynamic control			
				649.651.722	757	13019	dynamic control			
				653.655.722	759	13022	dynamic control			
				657.659.722	761	13025	dynamic control			
				661.663.722	763	13028	dynamic control			
				665.667.722	765	13004	dynamic control			
				669.671.722	767	13007	dynamic control			
673.675.722	769	13010	dynamic control							
114	2	T04	Domestic day/night credit	588.590	727	13033	08:00 - 23.30	13032	23:30 - 08:00	
					729	13036		13035		
					731	13039		13038		
					733	13042		13041		
					735	13045		13044		
					737	13048		13047		
					739	13051		13050		
					741	13054		13053		
					743	13057		13056		
					745	13060		13059		
					748	13065		13064		
					752	13012		13011		
					754	13015		13014		

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
					756 758 760 762 764 766 768 588.589.590.591 793	13018 13021 13024 13027 13003 13006 13009 13092		13017 13020 13023 13026 13002 13005 13008 13091		
115	2	T04	Domestic day/night PPM	589.591.723 						

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
				628.630 632.634 640.642 644.646 648.650 652.654 656.658 660.662 664.666 668.670 672.674 636.637.638.639	746 749 753 755 757 759 761 763 765 767 769 794	13061 13066 13013 13016 13019 13022 13025 13028 13004 13007 13010 13093	dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control			
117	2	T03	Domestic Control, PPM	593.595.722 597.599.722 601.603.722 605.607.722 609.611.722 613.615.722 617.619.722 621.623.722 625.627.722 629.631.722 633.635.722 641.643.722 645.647.722 649.651.722 653.655.722 657.659.722 661.663.722 665.667.722 669.671.722 673.675.722 636.637.638.639	728 730 732 734 736 738 740 742 744 746 749 753 755 757 759 761 763 765 767 769 794	13034 13037 13040 13043 13046 13049 13052 13055 13058 13061 13066 13013 13016 13019 13022 13025 13028 13004 13007 13010 13093	dynamic control dynamic control			
118	2	T04	White Meter 1, credit	1.3.692.694 5.7.696.698 9.11.700.702 13.15.704.706 17.19.708.710 21.23.712.714	721 722 723 724 725 726	336 13068 13071 13074 13077 13080	15.5hrs between 08:30 - 23:00	327 13067 13070 13073 13076 13079	8.5hrs between 23:00 - 08:30	
119	2	T04	White Meter 1, PPM	2.4.693.695.890 6.8.697.699 10.12.701.703 14.16.705.707 18.20.709.711	721 722 723 724 725	336 13068 13071 13074 13077	15.5hrs between 08:30 - 23:00	327 13067 13070 13073 13076	8.5hrs between 23:00 - 08:30	

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
				22.24.713.715	726	13080		13079		
120	2	T04	Economy 10	94	939	396	0030-0430,0730-1300,1600-2030	395	0430-0730,1300-1600, 2030-0030	
121	2	T04	Economy 10 PPM	875.876	939	396	0030-0430,0730-1300,1600-2030	395	0430-0730,1300-1600, 2030-0030	
130	2	T03	Domestic 8.5hr Off Peak, Credit	512.514 516.518	701 702	343 344	2300-0730 2330-0800			Preserved
132	2	T06	Domestic 12hr Off Peak, Credit	520.522 524.526 528.530 532.534 536.538 540.542 544.546 548.550 552.554	703 704 705 706 707 708 709 710 711	317 318 319 320 321 322 323 324 325	2300-0730, 1230-1600 2330-0830, 1330-1630 2230-0730, 1100-1300, 1500-1600 2230-0730, 0900-1100, 1600-1700 2230-0730, 1300-1430, 1800-1930 0000-0900, 1430-1600, 1830-2000 2300-0800, 1130-1330, 1530-1630 2300-0800, 1130-1330, 1900-2000 2200-0700, 1000-1130, 1330-1500			
133	2	T06	Domestic 12hr Off Peak, PPM	521.523 525.527 529.531 533.535 537.539 541.543 545.547 549.551 553.555	703 704 705 706 707 708 709 710 711	317 318 319 320 321 322 323 324 325	2300-0730, 1230-1600 2330-0830, 1330-1630 2230-0730, 1100-1300, 1500-1600 2230-0730, 0900-1100, 1600-1700 2230-0730, 1300-1430, 1800-1930 0000-0900, 1430-1600, 1830-2000 2300-0800, 1130-1330, 1530-1630 2300-0800, 1130-1330, 1900-2000 2200-0700, 1000-1130, 1330-1500			
134	2	T07	Domestic 16/20hr Off Peak, Credit	556.558 560.562 564.566 568.570 572.574 576.578 580.582 584.586	712 713 714 715 716 717 718 719	326 328 329 330 339 340 341 342	1900-0730, 1230-1600 1930-0830, 1330-1630 2130-0730, 0900-1330, 1530-1700 1830-0530, 0830-1330 1700-0800, 1000-1500 1730-0800, 1000-1530 1700-0800, 1000-1500 1730-0800, 1000-1530			Preserved
135	2	T07	Domestic 16/20hr Off Peak, PPM	557.559 561.563 565.567 569.571 573.575 577.579 581.583 585.587	712 713 714 715 716 717 718 719	326 328 329 330 339 340 341 342	1900-0730, 1230-1600 1930-0830, 1330-1630 2130-0730, 0900-1330, 1530-1700 1830-0530, 0830-1330 1700-0800, 1000-1500 1730-0800, 1000-1530 1700-0800, 1000-1500 1730-0800, 1000-1530			Preserved
136	2	T08	Storage Boiler, Credit	676.678	770	13001	dynamic control			
137	2	T08	Storage Boiler, PPM	677.679.721	770	13001	dynamic control			
160	1	T05	CPC HWR - Tenant, Credit	500.501	393	1	24 hours			
161	1	T05	CPC HWR - Tenant, PPM	510.511	393	1	24 hours			

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
162	2	T04	CPWM HWR - Tenant, Credit	25.27	727	13033	08:00 - 23.30	13032	23:30 - 08:00	
					729	13036		13035		
					731	13039		13038		
					733	13042		13041		
					735	13045		13044		
					737	13048		13047		
					739	13051		13050		
					741	13054		13053		
					743	13057		13056		
					745	13060		13059		
					748	13065		13064		
					752	13012		13011		
					754	13015		13014		
					756	13018		13017		
					758	13021		13020		
					760	13024		13023		
					762	13027		13026		
					764	13003		13002		
					766	13006		13005		
					768	13009		13008		
163	2	T04	CPWM HWR - Tenant, PPM	26.28	727	13033	08:00 - 23.30	13032	23:30 - 08:00	
					729	13036		13035		
					731	13039		13038		
					733	13042		13041		
					735	13045		13044		
					737	13048		13047		
					739	13051		13050		
					741	13054		13053		
					743	13057		13056		
					745	13060		13059		
					748	13065		13064		
					752	13012		13011		
					754	13015		13014		
					756	13018		13017		
					758	13021		13020		
					760	13024		13023		
					762	13027		13026		

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
					764 766 768	13003 13006 13009		13002 13005 13008		
164	2	T03	Weathercall HWR - landlord	51.52 53.54 55.56 57.58 59.60 61.62 63.64 65.66 67.68	753 755 757 759 761 763 765 767 769	13013 13016 13019 13022 13025 13028 13004 13007 13010	dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control			
165	2	T03	8.5hr dynamic heating - landlord	29.30 31.32 33.34 35.36 37.38 39.40 41.42 43.44 45.46 47.48 49.50	728 730 732 734 736 738 740 742 744 746 749	13034 13037 13040 13043 13046 13049 13052 13055 13058 13061 13066	dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control dynamic control			
166	2	T03	8.5hr heating - landlord	81.82 83.84 85.86 87.88 89.90 91.92	781 782 783 784 785 786	327 13069 13072 13075 13078 13081	2300-0730 2345-0815 0000-0830 2300-0730 GMT 2300-0730 GMT 2300-0730 GMT			
BUSINESS QUARTERLY										
200	3	T14	Farm & Combined Premises	500.501.801.802	393	1	24 hours			preserved
201	3	T14	Business General	93.500.501.801.802	393	1	24 hours			
202	3	T14	General Block 2	500.501.801.802	393	1	24 hours			preserved
203	3	T14	Farm & Combined Premises PPM	510.511.838.840	393	1	24 hours			preserved
204	3	T14	Business General PPM	510.511.838.840	393	1	24 hours			
205	3	T14	General Block 2 PPM	510.511.838.840	393	1	24 hours			preserved
220	4	T15	White Meter 2	1.3.692.694 5.7.696.698 9.11.700.702 13.15.704.706 17.19.708.710 21.23.712.714	721 722 723 724 725 726	336 13068 13071 13074 13077 13080	15.5hrs between 0830 & 2300	327 13067 13070 13073 13076 13079	8.5hrs between 2300 & 0830	preserved
221	4	T15	White Meter 3	1.3.692.694 5.7.696.698 9.11.700.702 13.15.704.706	721 722 723 724	336 13068 13071 13074	15.5hrs between 0830 & 2300	327 13067 13070 13073	8.5hrs between 2300 & 0830	

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
				17.19.708.710 21.23.712.714	725 726	13077 13080		13076 13079		
222	4	T15	White Meter 5 (day/night)	588.590	727 729 731 733 735 737 739 741 743 745 748 752 754 756 758 760 762 764 766 768 793	13033 13036 13039 13042 13045 13048 13051 13054 13057 13060 13065 13012 13015 13018 13021 13024 13027 13003 13006 13009 13092	08:00 - 23.30	13032 13035 13038 13041 13044 13047 13050 13053 13056 13059 13064 13011 13014 13017 13020 13023 13026 13002 13005 13008 13091	2330 - 0800	preserved
				588.589.590.591						

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
223	4	T16	White Meter 5 (heating)	592.594	728	13034	dynamic control			preserved
				596.598	730	13037	dynamic control			
				600.602	732	13040	dynamic control			
				604.606	734	13043	dynamic control			
				608.610	736	13046	dynamic control			
				612.614	738	13049	dynamic control			
				616.618	740	13052	dynamic control			
				620.622	742	13055	dynamic control			
				624.626	744	13058	dynamic control			
				628.630	746	13061	dynamic control			
				632.634	749	13066	dynamic control			
				640.642	753	13013	dynamic control			
				644.646	755	13016	dynamic control			
				648.650	757	13019	dynamic control			
				652.654	759	13022	dynamic control			
				656.658	761	13025	dynamic control			
				660.662	763	13028	dynamic control			
				664.666	765	13004	dynamic control			
				668.670	767	13007	dynamic control			
				672.674	769	13010	dynamic control			
				636.637.638.639	794	13093	dynamic control			
224	4	T15	Business Day/Night	588.590	727	13033	08:00 - 23:30	13032	2330 - 0800	
					729	13036		13035		
					731	13039		13038		
					733	13042		13041		
					735	13045		13044		
					737	13048		13047		
					739	13051		13050		
					741	13054		13053		
					743	13057		13056		
					745	13060		13059		
					748	13065		13064		
					752	13012		13011		
					754	13015		13014		
					756	13018		13017		
					758	13021		13020		
					760	13024		13023		
					762	13027		13026		
					764	13003		13002		
					766	13006		13005		
					768	13009		13008		
				588.589.590.591	793	13092		13091		
225	4	T16	Business Control	592.594	728	13034	dynamic control			

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
				596.598	730	13037	dynamic control			
				600.602	732	13040	dynamic control			
				604.606	734	13043	dynamic control			
				608.610	736	13046	dynamic control			
				612.614	738	13049	dynamic control			
				616.618	740	13052	dynamic control			
				620.622	742	13055	dynamic control			
				624.626	744	13058	dynamic control			
				628.630	746	13061	dynamic control			
				632.634	749	13066	dynamic control			
				640.642	753	13013	dynamic control			
				644.646	755	13016	dynamic control			
				648.650	757	13019	dynamic control			
				652.654	759	13022	dynamic control			
				656.658	761	13025	dynamic control			
				660.662	763	13028	dynamic control			
				664.666	765	13004	dynamic control			
				668.670	767	13007	dynamic control			
				672.674	769	13010	dynamic control			
				636.637.638.639	794	13093	dynamic control			

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
240	4	T03	Business 8.5hr Off Peak LV	512.514 516.518	701 702	343 344	2300-0730 2330-0800			
241	4	T06	Business 12hr Off Peak LV	520.522 524.526 528.530 532.534 536.538 540.542 544.546 548.550 552.554	703 704 705 706 707 708 709 710 711	317 318 319 320 321 322 323 324 325	2300-0730, 1230-1600 2330-0830, 1330-1630 2230-0730, 1100-1300, 1500-1600 2230-0730, 0900-1100, 1600-1700 2230-0730, 1300-1430, 1800-1930 0000-0900, 1430-1600, 1830-2000 2300-0800, 1130-1330, 1530-1630 2300-0800, 1130-1330, 1900-2000 2200-0700, 1000-1130, 1330-1500			
242	4	T07	Business 16/20hr Off Peak LV	556.558 560.562 564.566 568.570 572.574 576.578 580.582 584.586	712 713 714 715 716 717 718 719	326 328 329 330 339 340 341 342	1900-0730, 1230-1600 1930-0830, 1330-1630 2130-0730, 0900-1330, 1530-1700 1830-0530, 0830-1330 1700-0800, 1000-1500 1730-0800, 1000-1530 1700-0800, 1000-1500 1730-0800, 1000-1530			preserved
243	3	T09	12hr Crop & Air Conditioning LV	716.717	775	334	Nov to Feb - 2200-0700, 1000-1130, 1330-1500		Mar to Oct 24 hrs	preserved
244	3	T10	16hr Crop & Air Conditioning LV	718.719	776	335	Nov to Feb - 1830-0530, 0830-1330		Mar to Oct 24 hrs	preserved
245	3	T11	Crop Conditioning	500.501	393	1	24 hours			preserved
246	3	T12	Catering	500.501	393	1	24 hours			preserved
260	3	T15	Business Evening & Weekend	680.681.826.827	320	184	0730 -1930 GMT Mon - Fri	72	Other times	
BUSINESS HV										
301	4	T13	12hr Off Peak HV	520.522 524.526 528.530 532.534 536.538 540.542 544.546 548.550 552.554	703 704 705 706 707 708 709 710 711	317 318 319 320 321 322 323 324 325	2300-0730, 1230-1600 2330-0830, 1330-1630 2230-0730, 1100-1300, 1500-1600 2230-0730, 0900-1100, 1600-1700 2230-0730, 1300-1430, 1800-1930 0000-0900, 1430-1600, 1830-2000 2300-0800, 1130-1330, 1530-1630 2300-0800, 1130-1330, 1900-2000 2200-0700, 1000-1130, 1330-1500			
BUSINESS MAXIMUM DEMAND										
400	5 to 8	T17	Maximum Demand LV	500.501.801.802 71.72.690.691	393 720	1 331.332	24 hours 0730 -2300	333	2300 - 0730	
401	5 to 8	T18	Maximum Demand HV	500.501.801.802 71.72.690.691	393 720	1 331.332	24 hours 0730 -2300	333	2300 - 0730	preserved
BUSINESS HALF HOURLY										
500	None	M03	Half Hourly LV with MOA	845 to 856	None				2300 - 0730	
501	None	M04	Half Hourly HV with MOA	845 to 856	None				2300 - 0730	
504	None	M07	Embedded Generator LV	845 to 856	None				2300 - 0730	
505	None	M08	Embedded Generator HV	845 to 856	None				2300 - 0730	
GENERATION										
781	None		Export PV	867.870	482					

LLFC Id	Profile Class	DUoS Tariff	LLFC Description	Meter Timeswitch Code	Standard Settlement Configuration	Unit Rate 1		Unit rate 2		Special Conditions
						TPR	Switching Regime	TPR	Switching Regime	
					483 484 485 486 487 488 489					
782	None		Export CHP	866.869	490 491 492 493 494 495 496 497					
783	None		Export Wind	868.871	941					
784	None		Export Hydro	868.871	940					
785	None		Export Other	868.871	498					
UNMETERED SUPPLIES										
900	8	T19	UMS flat, good inventory	502.857	428	259	0600-2200	258	0000-0600, 2200-2400	
901	1	T19	UMS dusk to dawn, good inv	504.859	429	261	0900-1900	260	0000-0900, 1900-2400	
902	1	T19	UMS half night, pre dawn good inv	505.860	430	265	0100-0500, 0900-1600	264	0000-0100, 0500-0900, 1600-2400	
903	1	T19	UMS dawn to dusk, good inv	503.858	431	263	0400-1600	262	0000-0400, 1600-2400	
904	8	T20	UMS flat, poor inventory	502.857	428	259	0600-2200	258	0000-0600, 2200-2400	
905	1	T20	UMS dusk to dawn, poor inv	504.859	429	261	0900-1900	260	0000-0900, 1900-2400	
906	1	T20	UMS half night, pre dawn poor inv	505.860	430	265	0100-0500, 0900-1600	264	0000-0100, 0500-0900, 1600-2400	
907	1	T20	UMS dawn to dusk, poor inv	503.858	431	263	0400-1600	262	0000-0400, 1600-2400	
908	8	T21	UMS public lighting, good inv	502.857	428	259	0600-2200	258	0000-0600, 2200-2400	
	1			504.859	429	261	0900-1900	260	0000-0900, 1900-2400	
				505.860	430	265	0100-0500, 0900-1600	264	0000-0100, 0500-0900, 1600-2400	
909	8	T22	UMS public lighting, poor inv	502.857	428	259	0600-2200	258	0000-0600, 2200-2400	
	1			504.859	429	261	0900-1900	260	0000-0900, 1900-2400	
				505.860	430	265	0100-0500, 0900-1600	264	0000-0100, 0500-0900, 1600-2400	